## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

- (withdrawn) In a method for manufacturing TBO product comprising sequentially the steps of:
- (a) oxidizing the starting material N,Ndimethyl-p-phenylenediamine, in a first reaction mixture;
- (b) introducing a source of sulfur-containing nucleophile into said first reaction mixture, to form a first intermediate, substituted S-phenyl thiosulfate;
- (c) further oxidizing and condensing said first intermediate with o-toluidine, to form a second intermediate, substituted S-indaminyl thiosulfate;
- (d) further oxidizing said second intermediate, to form a TBO-containing reaction product in a third reaction mixture;
- (e) introducing a TBO-complexing agent into at least one of said reaction mixtures; and
- (f) separating the TBO-containing reaction product from said third reaction mixture; the improvement comprising sequentially:

- (a) oxidizing a starting material, comprised of at least one compound selected from the group consisting of N,N-dimethyl-p-phenylenediamine and N-dimethyl-p-phenylenediamine, in the presence of o-toluidine in a first reaction mixture to form a first intermediate, an indamine, without forming S-phenyl thiosulfate; and then
- (b) introducing a source of sulfur-containing nucleophile into said first reaction mixture form a second intermediate, S-indaminyl thiosulfate.

## (cancelled).

- 3. (withdrawn) A process for manufacturing the composition of Claim 2 including the steps of :
  - (a) synthesizing an indamine; and
  - (b) synthesizing an S-indaminyl thiosulfate;
- 4. (withdrawn) The process of Claim 4 wherein said step of synthesizing an indamine further comprises the step of oxidizing a solution of o-toluidine and a solution of N,N-dimethyl-phenylenediamine in the presence of an acid and oxidizing agent.
- (withdrawn) A method for identification of dysplastic tissue comprising:

the step of applying to human tissue the TBO product of  $Claim\ 2$ .

- 6. (withdrawn) A method for treating dysplastic tissue comprising: the step of applying to human tissue the TBO product of Claim 2.
- 7. (withdrawn) The method for treating dysplastic tissue of Claim 6 further comprising: modifying the incidence of light to control phototoxic effects.
- 8. (withdrawn) The method for treating dysplastic tissue of Claim 6 further comprising: the step of mixing a chemotherapeutic agent with said TBO product of Claim 4.
- 9. (previously presented) A composition comprising: an N-demethylated derivative of toluidine blue O having a ring methyl group at the C-2 position, and having the structure

wherein the N-demethylated derivative of toluidine blue O comprises at least 73% by weight of the total organic dye content of said composition.

- 10. (withdrawn) A process for manufacturing the composition of claim 9 including the steps of :
  - (a) synthesizing an indamine; and
  - (b) synthesizing an S-indaminyl thiosulfate;
- 11. (withdrawn) The process of Claim 11 wherein said step of synthesizing an indamine further comprises the step of oxidizing a solution of o-toluidine and a solution of N-dimethyl-pphenylenediamine in the presence of an acid and oxidizing agent.
- 12. (withdrawn) A method for identification of dysplastic tissue comprising:

the step of applying to human tissue the TBO product of  $Claim \ 9.$ 

- 13. (withdrawn) A method for treating dysplastic tissue comprising: the step of applying to human tissue the TBO product of
- 14. (withdrawn) The method for treating dysplastic tissue of Claim 13 further comprising: modifying the incidence of light to control phototoxic effects.
- 15. (withdrawn) The method for treating dysplastic tissue of Claim 13 further comprising: the step of mixing a chemotherapeutic agent with said TBO product of Claim 9.
  - 16. (cancelled).

Claim 9.

- 17. (withdrawn) A process for manufacturing the composition of Claim 16 including the steps of :
  - (a) synthesizing an indamine; and
  - (b) synthesizing an S-indaminyl thiosulfate;
- 18. (withdrawn) The process of Claim 17 wherein said step of synthesizing an indamine further comprises the step of oxidizing a solution of o-toluidine and a solution of N,N-dimethyl-p-phenylenediamine and N-dimethyl-p-phenylenediamine in the presence of an acid and oxidizing agent.
- 19. (withdrawn) A method for identification of dysplastic tissue comprising: the step of applying to human tissue the TBO product of Claim 16
- 20. (withdrawn) A method for treating dysplastic tissue comprising: the step of applying to human tissue the TBO product of

Claim 16.

- 21. (withdrawn) The method for treating dysplastic tissue of Claim 20 further comprising:
  modifying the incidence of light to control phototoxic effects.
- 22. (withdrawn) The method for treating dysplastic tissue of Claim 20 further comprising: the step of mixing a chemotherapeutic agent with said TBO product of Claim 16.
- 23. (withdrawn) In an HPLC method for analysis of a TBO dye product, said method including:
  - (a) forming a TBO sample solution,
- (b) forming a mobile phase comprising a watersoluble salt of an organic acid,
- (c) equilibrating an HPLC column with the mobile phase flow, and  $$^{\circ}$$
- $\mbox{(d)} \quad \mbox{injecting the sample solution into the HPLC} \\ \mbox{column,} \quad \mbox{}$

the improvement for identifying sample dye components and for assaying and determining the purity of said sample, said improvement comprising:

forming said mobile phase as a composition including heptanesulfonic acid; and

forming a second mobile phase composition comprising 50% alcohol by volume.

24. (new) A composition comprising toluidine blue O having a ring methyl group at the C-2 position, and having the structure

wherein the toluidine blue 0 is at least about 73% by weight of the total organic dye content of the composition and wherein the composition is formed by:

(a) combining N,N-dimethyl-p-phenylenediamime, N-methyl-p-phenylenediamine, mixtures thereof, or derivatives thereof, with o-toluidine or a derivative thereof, to form a first intermediate, the first intermediate being an indamine or a derivative thereof:

9

- (b) combining the first intermediate with a source of thiosulfate ions, to form a second intermediate, the second intermediate being a S-indaminyl sulfate or a derivative thereof;
- (c) combining an oxidizing agent with the second intermediate, to form a third intermediate, the third intermediate being an oxidized S-indaminyl sulfate or a derivative thereof;
- (d) combining a complexing agent with the third intermediate, to form a toluidine blue O product mixture; and
- (e) separating the toluidine blue O composition from the toluidine blue O product mixture.
- 25. (new) A composition comprising an N-demethylated derivative of toluidine blue O having a ring methyl group at the C-2 position, and having the structure

wherein the N-demethylated derivative of toluidine blue O comprises at least about 73% by weight of the total organic dye content of the composition; wherein the composition is formed by

- (a) combining N,N-dimethyl-p-phenylenediamime, N-methyl-p-phenylenediamine, mixtures thereof, or derivatives thereof, with o-toluidine or a derivative thereof, to form a first intermediate, the first intermediate being an indamine or a derivative thereof;
- (b) combining the first intermediate with a source of thiosulfate ions, to form a second intermediate, the second intermediate being a S-indaminyl sulfate or a derivative thereof:
- (c) combining an oxidizing agent with the second intermediate, to form a third intermediate, the third intermediate being an oxidized S-indaminyl sulfate or a derivative thereof;
- (d) combining a complexing agent with the third intermediate, to form a toluidine blue O product mixture; and
- (e) separating the toluidine blue O composition from the toluidine blue O product mixture.

- 26. (new) A composition comprising:
- (a) toluidine blue O, having a ring methyl group at the C-2 position and having the structure

and

(b) an N-demethylated derivative of toluidine blue O having a ring methyl group at the C-2 position and having the structure

in which (a) and (b) comprises at least about 70% by weight of the total organic dye content of the composition and wherein the composition is formed by

- (a) combining N,N-dimethyl-p-phenylenediamime, N-methyl-p-phenylenediamine, mixtures thereof, or derivatives thereof, with o-toluidine or a derivative thereof, to form a first intermediate, the first intermediate being an indamine or a derivative thereof;
- (b) combining the first intermediate with a source of thiosulfate ions, to form a second intermediate, the second intermediate being a S-indaminyl sulfate or a derivative thereof:
- (c) combining an oxidizing agent with the second intermediate, to form a third intermediate, the third intermediate being an oxidized S-indaminyl sulfate or a derivative thereof;
- (d) combining a complexing agent with the third intermediate, to form a toluidine blue O product mixture; and
- (e) separating the toluidine blue O composition from the toluidine blue O product mixture.